



# Visual Product Identification Apps for Visually Impaired

**Aisha Rahmayanti**

School of Graduate Studies

Management and Science University Shah Alam, Selangor, Malaysia

[aisharahmayanti10@gmail.com](mailto:aisharahmayanti10@gmail.com)

**AP. Ts. Dr. Saliyah Kahar**

Faculty of Information Sciences and Engineering

Management and Science University Shah Alam, Selangor, Malaysia

[saliyah\\_kahar@msu.edu.my](mailto:saliyah_kahar@msu.edu.my)

**Trismayanti Dwi P.**

Information Technology State Polytechnic of Jember Jember, Jawa Timur, Indonesia

[Trismayanti@polije.ac.id](mailto:Trismayanti@polije.ac.id)

**\*Correspondence :**

**Aisha Rahmayanti**

[aisharahmayanti10@gmail.com](mailto:aisharahmayanti10@gmail.com)

Received: 12-02-2024

Accepted: 02-03-2024

Published: 24-03-2024

Copyright © 2024 by author(s) and Scientific Research Publishing Inc.

This work is licensed under the Creative Commons Attribution International License (CC BY 4.0).

<http://creativecommons.org/licenses/by/4.0/>



Open Access

---

## Abstract

Outwardly disabled individuals confront challenges when utilizing smartphones due to reliance on touch screens and restricted openness. This consider addresses this issue and centers on item distinguishing proof whereas shopping. Smartphone applications that basically utilize touchscreens restrain openness, particularly in shopping regions where there's a need of real-time data around items accessible to outwardly disabled individuals. Proposed arrangements incorporate standardized tag checking or picture acknowledgment to get moment item data, encouraging autonomous decision-making when moving through the store. This inquire about centers on comprehensive applications custom-made to person needs, joining voice commands and advanced image acknowledgment to extend freedom and make a total shopping involvement. Item distinguishing proof is exceptionally critical for outwardly impeded individuals when shopping freely. Advances such as name reading, barcodes, and voice acknowledgment empower you to create educated choices approximately

wellbeing and safety-related items. Item mindfulness and talk cultivates social integration, and innovations such as barcodes and mobile apps with picture acknowledgment give nitty gritty item data. Item distinguishing proof makes a difference within the work environment and makes strides efficiency by making hardware simpler to get it and utilize.

Profound learning calculations, particularly convolutional neural systems (CNNs), are revolutionizing machine vision and exceeding expectations at protest acknowledgment errands. For visual item distinguishing proof, these calculations coordinated content acknowledgment and standardized identification acknowledgment to supply point by point data and make strides openness. This think about looks at later advances in deep learning algorithms for visual product identification apps and highlights the need for publicly accessible interfaces and compliance with accessibility standards. Solving usability issues, integrating voice recognition, and providing real-time information are critical to improving effectiveness and user experience. The objective of the research is to propose and validate an improvised deep learning algorithm for a visual product identification app for visually impaired people. Goals include identifying opportunities for improvement, proposing effective algorithms, and evaluating applications using appropriate metrics. The importance of this research lies in improving accessibility, improving user experience, and promoting independence for visually impaired people. This scope includes various dataset tests on common retail products with limited device quality and potential challenges in identifying visually similar products.

**Keywords:** Apps, Product, Technology, Visially Impaired.

---

## Introduction

Outwardly disabled individuals confront challenges when utilizing smartphones, fundamentally due to touchscreen and availability confinements. Voice associates can help with fundamental errands, but numerous applications depend on touchscreens, which ruins availability. There's a colossal hole in real-time information about items within the shopping space. To address this issue, imaginative arrangements such as standardized identification checking and image acknowledgment apps have been proposed to supply moment data for autonomous shopping. The need of such applications highlights the require for comprehensive arrangements that address person prerequisites. This emphasizes the part of technology, integrating highlights such as voice commands and progressed picture acknowledgment to extend freedom and make a total shopping

involvement. Visual impedance influences millions of individuals around the world, and preventable causes account for a critical extent of the issues. Different variables, such as age-related issues and sexual orientation contrasts, can lead to visual disability. Assistive innovation, such as screen perusers, plays an imperative part in expanding freedom (Real and Araujo 2019).

Comprehensive arrangements and get to to innovation are fundamental in instruction. Progresses in voice and picture acknowledgment innovation are expanding computerized openness in regular exercises. Item recognizable proof is exceptionally imperative for outwardly impeded individuals because it permits them to shop autonomously and take part .in day by day exercises. Advances such as name perusing, barcodes, and voice recognition empower you to form educated choices around items related to wellbeing and security.

It moreover advances social consideration, advances work efficiency, and is valuable in instructive situations. Profound learning calculations, particularly convolutional neural systems (CNNs), are revolutionizing computer vision and question acknowledgment errands. For visual item identification, these calculations coordinated content acknowledgment and standardized identification acknowledgment to supply nitty gritty data and move forward openness (Shadi et al. 2019). The literature review examines current research on deep learning algorithms for visual product identification apps for visually impaired people, with emphasis on real-time processing and adaptability to different environments (Smys, Iong, and Chen 2020).

### 1.1 Problem Statement

The outwardly impeded individuals confront a parcel of issues in their lifestyle . These individuals have troubles to recognize and separate the objects around them thus they as it were depend on the guidance to assist them particularly for day by day errand. The foremost challenging for outwardly impeded are that the capacity of them to recognize the color, shape and separate the cash of the cash. Vision disability can shift from gentle, direct, serious vision disability and add up to visual impairment. Within the light of the later advances in machine learning and profound learning, inquire about thinks about and unused arrangements for individuals with visual disability have picked up more notoriety. The most objective is to supply individuals with visual impedance with visual substitution by making route or orientation solutions. These days, there are numerous of assistive innovation that can offer assistance them as a located direction and makes strides the quality life of visually impaired. The outwardly disabled generally now have the smartphone because it gotten to be a fundamental need of each person. Hence, it gives a awesome stage to create an application particularly for outwardly impeded to help them. Besides, they are trying to find a few enhancement and modern application that can offer assistance them to less subordinate on others (Hwang et al. 2020).

### 1.2 Objectives of the Study

The most objective of this think about is to assess and degree the change of profound learning calculations utilized in visual item distinguishing proof apps, particularly their capacity to recognize objects. The point of the inquire about is to propose an successful profound learning calculation particularly custom fitted to progress visual item distinguishing proof for individuals with visual impedances. By presenting a unused calculation, this investigate points to contribute to the assist improvement of assistive innovation for outwardly disabled individuals and empower more exact and proficient item acknowledgment. In this way, this think about points to confirm the viability of the ad libbed profound learning calculation through comprehensive assessment estimations in outwardly disabled applications. This multifaceted approach not as it were proposes inventive arrangements but moreover observationally approves their viability in real-world scenarios, eventually coming about in an successful innovation that's available to individuals with visual impedances. Underlines our investigate commitment to contributing to the proceeded improvement.

#### 1.2.1 Significance of the study

Visual item distinguishing proof apps bolster individuals with visual impedances and increment their autonomy by permitting them to autonomously distinguish and work distinctive items. Planned particularly for the outwardly impeded, these apps highlight easy-to-use interfacing with openness highlights such as

voice prompts and sound input, guaranteeing a consistent client involvement. In-app instructive assets and instructional exercises give the vital information and advance secure and autonomous utilize. These apps not as it were offer assistance find items, but moreover increment the in general autonomy, independence, and proficiency of outwardly impeded individuals in their day by day exercises. A groundbreaking visual item recognizable proof app fueled by profound learning calculations illustrates the transformative potential of manufactured insights to progress availability for individuals with visual impedances. This development sets a modern standard for assistive innovation, illustrates that advanced calculations can have a significant affect on real-world challenges, and introduced in an time of positive alter for individuals with visual disabilities.

### 1.2.2 Scope and Limitations

A unused profound learning calculation, particularly planned for visual item distinguishing proof in portable applications for the outwardly impeded, will utilize picture acknowledgment and classification strategies to supply exact sound criticism through a smartphone camera. The datasets, carefully compiled with commitments from roughly 30 people with visual impedances, guarantee a agent test with moral contemplations prioritized, counting client assent and protection assurance. In any case, confinements incorporate testing on a restricted run of retail items, potential precision issues in destitute lighting or with low-quality camera equipment, and challenges in distinguishing items with comparative visual highlights or bundling.

## 2. Materials and Methods

For this project I'm refer to the waterfall model which referred to as a linear-sequential life cycle model. It is very simple to understand and use. In a waterfall model, each phase must be completed fully before the next phase can begin. At the end of each phase, a review takes place to determine if the project is on the right path and whether or not to continue or discard the project. In waterfall model phases do not overlap.




Figure 1. Waterfall Methodology  
(Nurchahya, Nurfauziah, and Dwiatmodjo 2022)

### 2.1 Requirement

The first phase involves understanding what needs to be planned and its function, purpose, and so on. Here, the input and output specifications or the final product are studied and marked. In addition, this phase also needs to understand the current system as a material for identifying problem statements and objectives and see where are we going.

### 2.2. Design

Amid the plan stage, we basically center on making strides the stylish request of the application, particularly for the wants of the target bunch, the outwardly impeded. We endeavor to construct applications with a particular reason in intellect, so we work tirelessly to plan a format and see that not as it were matches our vision, but too prioritizes openness. This requires near consideration to detail, particularly when deciding the ideal button estimate and color to guarantee an easy-to-use and comprehensive involvement for individuals with visual impedances.

### 2.3 Implementation

After completing the Design phase, it is basically implementation, we can only move to this phase after completing phase 1 and 2. This phase is development and implementation. We start by adding features to the buttons and try working them to see if there are any bugs. Such as QR scanner.

### 2.4 Testing

In this phase, all we try to do is test every single button, every single feature. We go through it one by one. To see if there are any bugs. And if and when it all runs well, we finish testing and run the whole application in a device successfully.

### 2.5 Maintenance

This phase is about once the application is full pledged. Open to customers. What do we have to do to keep it running successfully? And that means giving updates on versions of phones and new features if necessary.

#### Flowchart on the System




Figure 2. Flowchart Diagram

The clients, which is understudies have to be login to the application. They would ought to press enter application and once on the menu page, they have choices like open QR scanner by utilizing the button or in case they need to select google right hand for voice command highlight. And after, that choose on the off chance that they need to filter which QR. Once checked, the application will let them know the substance of the QR and after that the client will be able to studied it on the screen as well as a choice to rehash the voice command by a tap of a button.

## Data Flow Diagram




Figure 3. Data Flow Diagram

A information stream graph (DFD) could be a modeling device utilized in frameworks designing and examination to depict the stream of data within a framework. A DFD could be a graphical representation of the forms that happen inside a framework, the information collected, put away, and prepared, and the intuitive between these components. DFD makes a difference you get it how information moves through your framework and how forms inside your framework associated. The pictures given give a comprehensive information stream chart that depicts the arrangement of intuitive a client may experience inside a versatile application. Beginning with an "ENTER APP" instruction checked "1.0", the client starts exploring to the application. At choice point D1, the client is incited to tap ENTER to proceed. Once you enter the app, the another step will show up as "VOICE Collaborator" labeled "2.0". Choice point D2 happens and the client must "donate a command" to the voice collaborator. Because it advances, the grouping diverts the client to the "3.0" "Filter QR" and powers the client to filter the "OPEN CAMERA" QR code at choice point D3. The app at that point switches to "4.0" "READ DETAILS" and shows the data gotten through the QR code in voice. Choice point D4 permits the client to "PRESS TO REPEAT" if the data ought to be confirmed. As the summit of the interaction arrangement, the diagram ends with "5.0 Conclusion", speaking to the conclusion of the user-application interaction. This visual representation serves as an important apparatus in framework plan and program improvement, giving understanding into the user's encounter and the consistent movement of an application's usefulness.

### 3. Results

Result and discoveries are one of the foremost critical components in this extend advancement. The most work of this element is to demonstrate the current extend conjointly make to require choice successfully to unravel issues with the extend. Framework testing is performed on setting the application of visual item recognizable proof for the outwardly impeded based on Beta Testing. This test is essentially to test the behavior of putting the application of visual product identification for the visually impaired of the total framework as characterized by the scope. This can be aiming to create this application an ease to utilize, decrease any bugs and mistakes detailed by clients. Other than, the essential concept of running this test on placing the application of visual item recognizable proof for the outwardly impeded is the foremost frequently

last test to confirm that this application to be conveyed to meet its determination and reason. Such case of framework testing is test arrange that's performed on setting the application of visual item distinguishing proof for the outwardly impeded.

#### 4. Conclusions

Within the current world improvement, it can be said that numerous individuals accept that visual deficiency has numerous impediments. Be that as it may, with progresses in innovation, visual item recognizable proof applications planned particularly for the outwardly impeded and numerous others have showed up on the showcase. The objective and reason, or point, of these apps is to at slightest make individuals accept that they can overcome these confinements by utilizing these apps and highlights deliberately. Visual item distinguishing proof applications permit outwardly impeded individuals to recognize and get it objects in their environment through sound and uncommon markings. This makes modern openings and makes strides quality of life. By utilizing this innovation, society or the important target showcase can feel a positive affect, back consideration, and open the entryway to more noteworthy development in fathoming the challenges confronted by individuals with visual disabilities.

#### REFERENCES

- Chaudary, Babar, Sami Pohjolainen, Saima Aziz, Leena Arhipainen, and Petri Pulli. 2023. "Teleguidance-Based Remote Navigation Assistance for Visually Impaired and Blind People—Usability and User Experience." *Virtual Reality* 27 (1): 141–58. <https://doi.org/10.1007/s10055-021-00536-z>.
- Hwang, Jumi, Kyung Hee Kim, Jong Gyu Hwang, Sungchan Jun, Jiwon Yu, and Chulung Lee. 2020. "Technological Opportunity Analysis: Assistive Technology for Blind and Visually Impaired People." *Sustainability (Switzerland)* 12 (20): 1–17. <https://doi.org/10.3390/su12208689>.
- Nurcahya, Dwi, Habibah Nurfauziah, and Himawan Dwiatmodjo. 2022. "Comparison of Waterfall Models and Prototyping Models of Meeting Management Information Systems." *Jurnal Mantik* 6 (2): 1934–39. <https://iocscience.org/ejournal/index.php/mantik/article/view/2677/2150>.
- Real, Santiago, and Alvaro Araujo. 2019. "Navigation Systems for the Blind and Visually Impaired: Past Work, Challenges, and Open Problems." *Sensors (Switzerland)* 19 (15). <https://doi.org/10.3390/s19153404>.
- Shadi, Saleh, Saleh Hadi, Mohammad Amin Nazari, and Wolfram Hardt. 2019. "Outdoor Navigation for Visually Impaired Based on Deep Learning." *CEUR Workshop Proceedings* 2514: 397–406.
- Smys, S, Joy Iong, and Zong Chen. 2020. "Survey on Neural Network Architectures with Deep Learning" 02 (03): 186–94.